

## MATERIAL SAFETY DATA SHEET

<b>NOTE: BLANK SPACES ARE NOT PERMITTED. IF ANY ITEM IS NOT APPLICABLE, THE SPACE MUST BE MARKED TO INDICATE THAT.</b>						
<b>IDENTITY</b> (As shown on Label or package) <b>F-851's' FLEXIBLE WATERBASE ACRYLIC</b>				<b>PART NO.</b> <b>IF APPLICABLE</b>		
<b>SECTION I</b>						
<b>MANUFACTURER'S NAME</b> Plasti Dip International, Inc.				<b>EMERGENCY PHONE No.</b> 1-800-424-9300		
<b>ADDRESS (NUMBER, STREET, CITY, STATE AND ZIP CODE)</b> 3920 Pheasant Ridge Drive				<b>REVISION #</b>		
Blaine, MN 55449				<b>MANUFACTURER'S PHONE No. FOR INFORMATION</b> 1-763-785-2156		
				<b>DATE MSDS WAS PREPARED</b> March 14, 2008		
<b>SECTION II - HAZARDOUS INGREDIENTS INFORMATION. All Health Hazards which comprise 1% or greater of the composition and all carcinogens if 0.1% of the composition or greater.</b>						
<b>HAZARDOUS COMPONENTS CHEMICAL and IDENTITY AND COMMON NAME (S)</b>		<b>% Wt. (OPTIONAL)</b>	<b>CAS NO.</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>	<b>OTHER LIMITS RECOMMEND</b>
Dipropylene Glycol Monomethyl Ether		6.2	34590-94-8	100 ppm	100 ppm	Skin
<b>SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS</b>						
<b>BOILING POINT</b> 100°C / 212°F		<b>SPECIFIC GRAVITY (H<sub>2</sub>O = 1)</b> 1.0 - 1.1		<b>APPROXIMATE WEIGHT PER GALLON (LBS)</b> 8.50		
<b>VAPOR PRESSURE</b> 17.5 mmHg @ 20°C / 68°F		<b>VAPOR DENSITY (AIR = 1)</b> N/A		<b>EVAPORATION RATE (BUTYL ACETATE =1)</b> N/E		
<b>SOLUBILITY IN WATER</b> Dilutable		<b>% VOLATILE</b> 6.2	<b>VOC LBS/GAL</b> 0.5	<b>OTHER (IF ANY)</b> None		
<b>APPEARANCE AND ODOR</b> Syrupy liquid - Various colors - Slight ammoniacal odor						
<b>SECTION IV-FIRE AND EXPLOSION HAZARD DATA</b>						
<b>FLASH POINT (METHOD USED)</b> N/A		<b>FLAMMABLE LIMITS</b>		<b>LEL</b> N/A	<b>UEL</b> N/A	
<b>EXTINGUISHING MEDIA</b> CO <sub>2</sub> , Dry chemical or foam						
<b>SPECIAL FIRE FIGHTING PROCEDURES</b> Wear self-contained breathing apparatus (Pressure-demand, MSHA/NIOSH-approved or equivalent and full protective gear.						
<b>UNUSUAL FIRE AND EXPLOSION HAZARDS</b> Material can splatter above 100°C / 212°F. Polymer film can burn.						
<b>HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION</b> Carbon Dioxide and/or Carbon Monoxide.						
<b>EXPLOSIVE LIMITS (% BY VOLUME IN AIR)</b> N/A						
<b>SECTION V - OPTIONAL HAZARD RATINGS IDENTIFICATION</b>						
<b>HAZARD RATING</b> 4-EXTREME 3-HIGH 2-MODERATE 1-SLIGHT 0-INSIGNIFICANT **SEE SECTION IV			<b>National Fire Protection Association (NFPA)</b>  <b>FIRE</b> <u>  0  </u> <b>REACTIVITY</b> <u>  0  </u> .  <b>HEALTH</b> <u>  1  </u> <b>SPECIAL HAZARDS</b> <u> None </u> .			

This is the "front" when printed in duplex. Page 1 of 2 pages if not duplex.

<b>SECTION VI - REACTIVITY AND STABILITY DATA</b>			
<b>STABILITY</b>	UNSTABLE STABLE X	<b>CONDITIONS TO AVOID</b> None	
<b>INCOMPATIBILITY (Materials to Avoid)</b> Oxidizing Material			
<b>HAZARDOUS DECOMPOSITION OR BY PRODUCTS</b> Carbon Dioxide and/or Carbon Monoxide			
<b>HAZARDOUS POLYMERIZATION</b>	MAY OCCUR WILL NOT OCCUR X	<b>CONDITIONS TO AVOID</b> None	
<b>SECTION VII - HEALTH HAZARD DATA</b>			
<b>ROUTES OF ENTRY</b>	<b>INHALATION?</b> yes	<b>SKIN?</b> yes	<b>INGESTION?</b> yes <b>EYES?</b> yes
<b>HEALTH HAZARDS</b>	ACUTE X CHRONIC X		
<b>CARCINOGENICITY:</b> No			
<b>SIGNS AND SYMPTOMS OF EXPOSURE</b>			
Inhalation: Headache, nausea, and irritation of nose, throat and lungs. Skin: Irritating upon repeated or prolonged contact. Eyes: Slightly irritating to eyes.			
<b>MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE</b> None Known			
<b>EMERGENCY AND FIRST AID PROCEDURES</b>			
Inhalation: Remove to fresh air. Skin: Wash areas with soap and water. Eyes: Flush thoroughly with water. See a physician if irritation persists. Ingestion: If swallowed, give 2 glasses of water. See a Physician immediately or contact poison control center.			
<b>SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE</b>			
<b>STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED</b>			
Dike and contain spill with inert material (sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal. Keep run-offs out of municipal sewers and open bodies of water.			
<b>WASTE DISPOSAL METHOD</b> Dispose of in accordance with local, state, federal regulations.			
<b>PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE</b>			
Avoid contact with eyes. Keep container closed. Use with adequate ventilation.			
<b>OTHER PRECAUTIONS</b>			
Keep from freezing - product may coagulate.			
<b>SECTION IX - CONTROL MEASURES</b>			
<b>RESPIRATORY PROTECTION (SPECIFY TYPE)</b> Use NIOSH/ MSHA approved respirators, if local exhaust ventilation is not adequate.		<b>PROTECTIVE GLOVES</b> Rubber gloves	
<b>VENTILATION</b>	<b>LOCAL EXHAUST</b> Supplemental (if needed)	<b>SPECIAL</b> None	
	<b>MECHANICAL (GENERAL)</b> Satisfactory	<b>OTHER</b> Chemical Apron/Eye bath/Safety Shower	
<b>EYE PROTECTION</b> Chemical splash goggles or approved eye protection.		<b>OTHER PROTECTIVE CLOTHING OR EQUIPMENT</b> None	
<b>WORK HYGIENIC PRACTICES</b> Wash thoroughly after handling.			
<b>SECTION X - TRANSPORTATION INFORMATION (Optional)</b>			
<b>D.O.T. PROPER SHIPPING NAME</b> Paint		<b>D.O.T. HAZARD CLASS</b> N/A	
<b>IF A "CONSUMER COMMODITY ORM-D", WHAT IS THE HAZARD CLASS</b> N/A			
<b>D.O.T. I.D. No. (N/U OR N/A)</b> N/A			
<b>IATA PROPER SHIPPING NAME</b> Paint		<b>IATA HAZARD CLASS</b> N/A	<b>IMO No.</b> None
<b>THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT -TO-KNOW ACT OF 1986, 40 CFR 372, (see table on page 1 for CAS # and percent by weight).</b> None			
<b>WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM.</b>			

This is the "back" when printed in duplex. Page 2 of 2 pages if not duplex.

Prepared By: Michael N Hindin

THE INFORMATION PROVIDED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM ITS USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND THE VENDORS CONTROL AND SINCE SUBSEQUENT DATA MAY SUGGEST MODIFICATION OF THE INFORMATION, VENDOR ASSUMES NO RESPONSIBILITY FOR THE RESULTS OF ITS USE.